



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/723,096	11/26/2003	John E. Kendall	62806A (1062-023)	1111

25215 7590 07/27/2007
DOBRUSIN & THENNISCH PC
29 W LAWRENCE ST
SUITE 210
PONTIAC, MI 48342

EXAMINER

HUSON, MONICA ANNE

ART UNIT	PAPER NUMBER
----------	--------------

1732

MAIL DATE	DELIVERY MODE
-----------	---------------

07/27/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/723,096	Applicant(s) KENDALL ET AL.	
	Examiner Monica A. Huson	Art Unit 1732	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 June 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 24 and 26-46 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 24, 26-46 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This office action is in response to the RCE filed 19 June 2007.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 24, 31-35, 38, and 40-44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Winckler et al. (U.S. Patent 4,620,047), in view of James 4,368,323).

Regarding Claim 24, Winckler et al., hereafter "Winckler," show that it is known to carry out a method of molding a sheet molding compound (Abstract) comprising combining a macrocyclic oligoester and a reactive compound with a transesterification catalyst thereby forming a reactive admixture wherein the reactive compound is selected from another macrocyclic oligoester or a secondary compound (Col 29 Line 55-64); combining the reactive admixture with a Linking agent and a reinforcement material to form the sheet molding compound (Col 10 Line 45-56); molding the sheet molding compound at an elevated temperature thereby forming a cross-linked matrix within the sheet molding compound (col 26 lines 3-10) wherein the macrocyclic oligoester reacts with the reactive compound in the presence of the transesterification catalyst to produce a block copolymer (col 30 lines 7-13); the linking agent couples chains of the block copolymer together thereby increasing the molecular weight of the block copolymer (Col 26 Line 3-10; it is interpreted that the surfactant acts as the linking agent). Winckler does not show one of the particularly claimed linking agents. James shows that it is known to carry out a method wherein a surfactant and a diepoxide work together, both functioning as known cross-linking agents (Column 1, lines 65-68; Column 2, lines 1-2). James and Winckler are combinable because they are concerned with a similar technical field, namely, methods of molding including wet slurry molding processes. It would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to use James' diepoxide as the linking agent in Winckler's molding process in order to take advantage of its bridging and linking abilities (See James, Column 2, lines 1-2, 22-25).

Art Unit: 1732


Regarding Claim 31, Winckler discloses combining a filler with the reactive admixture wherein the filler and the reinforcement material represent at least about 50% by weight of the sheet molding compound (Col 10 Line 57-60).

Regarding Claim 32, Winckler discloses blend material wherein the filler is calcium carbonate (Col 10 Line 48-50) and wherein the macrocyclic ester, the secondary compound or both are present in the sheet molding compound in an amount between about 1% and about 30% by weight (col 16 lines 50-51).

Regarding Claim 33, Winckler discloses applying the sheet molding compound to one or more plastic films, the plastic films being at least partially formed of a polyester resin wherein, upon molding, the sheet molding compound is integrated with the one or more plastic films in the one or more parts (Col 27 Line 19-30).

Regarding Claim 34, Winckler discloses admixing into the molding compound, a low profile agent including a clay that is intercalated with a macrocyclic oligoester, wherein exfoliation of the clay during polymerization of the macrocyclic oligoester increases volume for offsetting shrinkage (Col 10 Line 52) and wherein step of molding the sheet molding compound wherein the molding step occurs in a time period selected from within 24 hours of forming the admixture or no less than 10 days after forming the admixture (Col 11 Line 58-62). Examiner notes that intercalation and exfoliation of the clay platelets in the polymer resin is inherently in Winckler's discussion of nanoclays increasing the modulus of the product. When the nanoclay is mixed/blended into the molding compound, the clays platelets will inherently be intercalated/exfoliated with the macrocyclic oligoester. As further support, it is well established in the field of nanocomposites that adding nanoclays and exfoliating the individual clay platelets will improve the material properties of a polymer such as the modulus.

Regarding Claim 35, Winckler discloses a macrocyclic oligoester wherein the structural repeat unit of formula is as follows:



wherein R is an alkylene, a cycloalkylene, or a mono- or polyoxyalkylene group, and A is a divalent aromatic or alicyclic group (Col 12 Line 59-64).

Regarding Claim 38, Winckler shows that it is known to carry out a method of molding a sheet molding compound (Abstract) comprising combining a macrocyclic oligoester, a cyclic butylenes terephthalate, and a reactive compound with a transesterification catalyst thereby forming a reactive admixture wherein the reactive

Art Unit: 1732

compound is selected from another macrocyclic oligoester or a secondary compound (Col 29 Line 55-64); combining the reactive admixture with a Linking agent and a reinforcement material to form the sheet molding compound (Col 10 Line 45-56; Column 29, lines 57-64); molding the sheet molding compound at an elevated temperature thereby forming a cross-linked matrix within the sheet molding compound (col 26 lines 3-10) wherein the macrocyclic oligoester reacts with the reactive compound in the presence of the transesterification catalyst to produce a block copolymer (col 30 lines 7-13); the linking agent couples chains of the block copolymer together thereby increasing the molecular weight of the block copolymer (Col 26 Line 3-10; it is interpreted that the surfactant acts as the linking agent). Winckler does not show one of the particularly claimed linking agents. James shows that it is known to carry out a method wherein a surfactant and a diepoxide work together, both functioning as cross-linking agents (Column 1, lines 65-68; Column 2, lines 1-2). It would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to use James' diepoxide as the linking agent in Winckler's molding process in order to take advantage of its bridging and linking abilities (See James, Column 2, lines 1-2, 22-25).

Regarding Claim 40, Winckler discloses combining a filler with the reactive admixture wherein the filler and the reinforcement material represent at least about 50% by weight of the sheet molding compound, wherein the filler is calcium carbonate (Col 10 Line 57-62), and wherein the macrocyclic ester, the secondary compound or both are present in the sheet molding compound in an amount between about 1% and about 30% by weight (col 16 lines 50-51).

Regarding Claim 41, Winckler discloses applying the sheet molding compound to one or more plastic films, the plastic films being at least partially formed of a polyester resin wherein, upon molding, the sheet molding compound is integrated with the one or more plastic films in the one or more parts (Col 27 Line 19-30).


Regarding Claim 42, Winckler discloses admixing into the molding compound, a low profile agent including a clay that is intercalated with a macrocyclic oligoester, wherein exfoliation of the clay during polymerization of the macrocyclic oligoester increases volume for offsetting shrinkage (Col 10 Line 52). Examiner notes that intercalation and exfoliation of the clay platelets in the polymer resin is inherently in Winckler's discussion of nanoclays increasing the modulus of the product. When the nanoclay is mixed/blended into the molding compound, the clays platelets will inherently be intercalated/exfoliated with the macrocyclic oligoester. As further support, it is well established in the field of nanocomposites that adding nanoclays and

Art Unit: 1732

exfoliating the individual clay platelets will improve the material properties of a polymer such as the modulus.

Regarding Claim 43, Winckler discloses admixing into the molding compound, a low profile agent including a step of molding the sheet molding compound wherein the molding step occurs in a time period selected from within 24 hours of forming the admixture or no less than 10 days after forming the admixture (Col 11 Line 58-62).

Regarding Claim 44, Winckler discloses a macrocyclic oligoester wherein the structural repeat unit of formula is as follows:



wherein R is an alkylene, a cycloalkylene, or a mono- or polyoxyalkylene group, and A is a divalent aromatic or alicyclic group (Col 12 Line 59-64).

Claims 26, 28, 39, and 45-46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Winckler, Jamer, further in view of Wang (U.S. Patent 6,436,549).

Regarding Claim 26, Winckler shows the process as claimed as discussed in the rejection of Claim 24 above, but he does not specifically use a dihydroxyl functionalized macrocyclic oligoester having a particular molecular weight. Wang shows that it is known to carry out a method of molding wherein the macrocyclic oligoester is dihydroxyl functionalized and has a molecular weight of between 500 and 100,000 (Column 7, lines 3-6). It would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to use Wang's particular macrocyclic oligoester during Winckler's molding process in order to take advantage of the excellent bond structure of the resulting matrix and final article.

Regarding Claim 28, Winckler shows the process as claimed as discussed in the rejection of Claim 24 above, including showing that the reactive compound is a secondary compound, but he does not show using block copolymers. Wang shows that it is known to carry out a method wherein the polymer chains are block copolymers (Column 3, lines 53-59). It would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to use Wang's block copolymers during Winckler's molding process in order to take advantage of their bonding structure and varying functionality, based on their varying structural makeup.

Regarding Claim 39, Winckler shows the process as claimed as discussed in the rejection of Claim 38 above, including showing that the reactive compound is a secondary compound, but he does not show using block copolymers. Wang shows that


Art Unit: 1732

it is known to carry out a method wherein the polymer chains are block copolymers (Column 3, lines 53-59). It would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to use Wang's block copolymers during Winckler's molding process in order to take advantage of their bonding structure and varying functionality, based on their varying structural makeup.

Regarding Claim 45, Winckler shows that it is known to carry out a method of molding a sheet molding compound (Abstract) comprising combining a macrocyclic oligoester, a cyclic butylenes terephthalate, and a reactive compound with a transesterification catalyst thereby forming a reactive admixture wherein the reactive compound is selected from another macrocyclic oligoester or a secondary compound (Col 29 Line 55-64); combining the reactive admixture with a Linking agent and a reinforcement material to form the sheet molding compound (Col 10 Line 45-56; Column 29, lines 57-64), combining a filler with the reactive admixture wherein the filler and the reinforcement material represent at least about 50% by weight of the sheet molding compound, wherein the filler is calcium carbonate (Col 10 Line 57-62), and wherein the macrocyclic ester, the secondary compound or both are present in the sheet molding compound in an amount between about 1% and about 30% by weight (col 16 lines 50-51); molding the sheet molding compound at an elevated temperature thereby forming a cross-linked matrix within the sheet molding compound (col 26 lines 3-10) wherein the macrocyclic oligoester reacts with the reactive compound in the presence of the transesterification catalyst to produce a block copolymer (col 30 lines 7-13); the linking agent couples chains of the block copolymer together thereby increasing the molecular weight of the block copolymer (Col 26 Line 3-10; it is interpreted that the surfactant acts as the linking agent). Winckler does not show one of the particularly claimed linking agents. James shows that it is known to carry out a method wherein a surfactant and a diepoxide work together, both functioning as cross-linking agents (Column 1, lines 65-68; Column 2, lines 1-2). It would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to use James' diepoxide as the linking agent in Winckler's molding process in order to take advantage of its bridging and linking abilities (See James, Column 2, lines 1-2, 22-25). Winckler also does not specifically use a macrocyclic oligoester having a particular molecular weight. Wang shows that it is known to carry out a method of molding wherein the macrocyclic oligoester is dihydroxyl functionalized and has a molecular weight of between 500 and 100,000 (Column 7, lines 3-6). It would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to use

Art Unit: 1732

Wang's particular macrocyclic oligoester during Winckler's molding process in order to take advantage of the excellent bond structure of the resulting matrix and final article. Regarding Claim 46, Winckler shows the process as claimed as discussed in the rejection of Claim 45 above, including a method including applying the sheet molding compound to one or more plastic films, the plastic films being at least partially formed of a polyester resin wherein, upon molding, the sheet molding compound is integrated with the one or more plastic films in the one or more parts (Col 27 Line 19-30), admixing into the molding compound, a low profile agent including a clay that is intercalated with a macrocyclic oligoester, wherein exfoliation of the clay during polymerization of the macrocyclic oligoester increases volume for offsetting shrinkage (Col 10 Line 52) and wherein step of molding the sheet molding compound wherein the molding step occurs in a time period selected from within 24 hours of forming the admixture or no less than 10 days after forming the admixture (Col 11 Line 58-62), wherein the structural repeat unit of formula is as follows:



wherein R is an alkylene, a cycloalkylene, or a mono- or polyoxyalkylene group, and A is a divalent aromatic or alicyclic group (Col 12 Line 59-64), meeting applicant's claim.

Claims 27, 30, and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Winckler and James, further in view of Tikart et al (US 2002/0082350).

Regarding Claims 27 and 36, Winckler discloses that the reinforcement material includes glass fibers (col 14 lines 5-10), the sheet molding compound includes at least 40% filler, which includes calcium carbonate, glass microspheres or both (col 10 lines 45-65), the reactive admixture includes an unsaturated polyester; and the macrocyclic oligoester includes polybutylene terephthalate (col 29 lines 57-64) but does not teach that the reactive admixture includes a styrene monomer. Nevertheless, Tikart teaches using styrene as a cross-linking agent (Pg 1 Par 14). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use Tikart's teaching of using styrene as a cross-linking agent in Winckler's molding compound in order to enhance the thermal and electrical properties of the resin (Pg 1 Par 14).

Regarding Claim 30, Winckler teaches everything previously mentioned above in the 102(e) rejection. Winckler, however, does not teach linking agent that is reactive

Art Unit: 1732

monomer selected from a styrene, a methyl methacrylate or a peroxide. Nevertheless, Tikart teaches using styrene as a cross-linking agent (Pg 1 Par 14). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use Tikart's teaching of using styrene as a cross-linking agent in Winckler's molding compound in order to enhance the thermal and electrical properties of the resin (Pg 1 Par 14).

Claim 29 is rejected under 35 U.S.C. 103(a) as being unpatentable over Winckler and James, further in view of Ladang et al. (US 2002/0153633). Winckler teaches everything previously mentioned above in the 102(e) rejection. Winckler, however, does not teach end-capped saturated polyester selected from a polycaprolactone terminated by a phenyl isocyanate and a diethylene glycol adipate polyol terminated by phenyl isocyanate for assisting in maintaining greater dimensional stability. Nevertheless, Ladang teaches terminating polycaprolactone by phenyl isocyanate (Pg 7 Claim 8). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to use Ladang's teaching of terminating polycaprolactone by phenyl isocyanate in Winckler's molding compound in order to increase the rate of self-crosslinking in the presence of water (Pg 3 Par 35).

Claim 37 is rejected under 35 U.S.C. 103(a) as being unpatentable over Winckler and James, further in view of Rayfield et al. (U.S. Patent 4,898,620). Winckler shows the process as claimed as discussed in the rejection of Claim 24 above, but he does not show a thermosetting resin in his reactive mixture. Rayfield et al., hereafter "Rayfield," show that it is known to carry out a method wherein a thermosetting resin is included in the reactive molding mixture (Column 5, lines 40-51; Column 9, lines 6-11). It would have been prima facie obvious to one of ordinary skill in the art at the time the invention was made to use Rayfield's thermosetting resin in Winckler's reactive mix in order to bolster the strength and heartiness of the final molded article.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Monica A. Huson whose telephone number is 571-272-1198. The examiner can normally be reached on Monday-Friday 7:00am-4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Johnson can be reached on 571-272-1176. The fax phone

Art Unit: 1732

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A handwritten signature in black ink, appearing to read "Monica A. Huson". The signature is fluid and cursive, with the first name "Monica" being more prominent than the last name "Huson".

Monica A Huson

July 21, 2007